

Attix 19 Gallon Series

The revolution in wet/dry vacuums



Wap

Total Cleaning Confidence[®]


**Nilfisk
ALTO**



Flexible

Efficient

Innovative



XtremeClean

Filter Cleaning System

The new Attix 19-gallon wet/dry vacuum features the XtremeClean filter-cleaning system*, the best filter-cleaning system the market has ever seen.

With the XtremeClean system, there's no need to stop working as the filter is continually being cleaned automatically. There are no buttons to press, no canisters to open -- no manual effort at all.

Powerful air pulses gently clean the filter and:

- Reduce down time
- Keep suction performance at its peak
- Improve the reliability of the machine
- Extend the life of the filter
- Save you money

*Available on select models only

ERGONOMIC DESIGN


Comfortable handle, tilt or lift-out container, handy tool tray and suction tube holder.

SILENT POWER

Works at a low 57d(B)A

STURDY

Steel frame and stainless-steel canister



XtremeClean technology lets you keep working longer, even when working with fine dust.

- ☞ XtremeClean filter-cleaning system
- ☞ Semi-automatic filter-cleaning systems
- ☞ Manual filter-cleaning systems



Powerful

Quiet

Reliable



Mobility and Transport
With a comfortable, integrated handle, it's easy to take the Attix 19 wherever the work is.

Versatile and Flexible
Tilt the container to empty, or simply lift it out of the frame to dispense of its contents elsewhere.



HIGH PERFORMANCE
Two-stage turbines and bypass motors

VERSATILITY
Tilting, removable container;
optional features including
XtremeClean and automatic on/off



No situation or job is too tough for the Attix 19 Flood Sucker

The Attix 19 Series is ideal for:

- Rental
- Body Shops
- Industrial
- Oil & Lube
- Automotive
- Construction
- Food Processing
- Manufacturing
- Hospitality
- Agriculture
- Pharmaceutical



ATTIX 19 SERIES PERFORMANCE XTREMES

TECHNICAL DATA:

| MODEL | Standard | RDFL | AS/PE 2 | HEPA | AE |
|------------------------|--------------|--------------|--------------|--------------|--------------|
| PART NUMBER | 302001540 | 900125 | 302001542 | 900124 | 302001541 |
| Power (HP) | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 |
| Power Peak (HP) | 8.25 | 8.25 | 8.25 | 8.25 | 8.5 |
| Air Flow (CFM) | 140 | 140 | 140 | 140 | 140 |
| Water Lift (in) | 105 | 105 | 105 | 105 | 105 |
| Noise Level (d(B)A) | 57 | 57 | 57 | 57 | 57 |
| Container Volume (gal) | 19 | 19 | 19 | 19 | 19 |
| L x W x H (in) | 24 x 23 x 38 | 24 x 23 x 38 | 24 x 23 x 38 | 24 x 23 x 38 | 24 x 23 x 38 |
| Shipping Weight (lbs) | 78 | 78 | 92 | 85 | 97 |

FEATURES:

| | | | | | |
|--------------------------|-----|-----|--------------------|-----|-----|
| Accessory Holder | Yes | Yes | Yes | Yes | Yes |
| Anti-Static Suction Hose | No | No | Yes | No | No |
| Cable Hook | Yes | Yes | Yes | Yes | Yes |
| Filter-Cleaning System | No | No | XtremeClean | No | No |
| Rubber Cable | Yes | Yes | Yes | Yes | Yes |
| Receptacle | No | Yes | Yes | No | Yes |
| Soft Start | Yes | Yes | Yes | Yes | Yes |
| Power Regulator | No | Yes | Yes | No | No |
| Tool Deposit | Yes | Yes | Yes | Yes | Yes |
| Auto On/Off | No | No | Electric/Pneumatic | No | No |
| Auto Cleaning | No | No | Yes | No | No |

ACCESSORIES:

| Hose (dia x length) (in x ft) | 1.5" x 13' | 1.5" x 13' | 2x(1.25" x 16') | 1.5" x 13" | 1.5" x 13' |
|---|------------|------------|-----------------|------------|----------------------------------|
| Curved Wand (Part# 46691) | ● | ● | ● | ● | ● |
| Extension Tube (Part# 15546) | ○ | ● | ● | ● | ● |
| Metal Floor Nozzle (Part# 5147) | ○ | ● | ● | ● | Industrial Squeegee (Part# 5149) |
| Crevice Nozzle (Part# 6084) | ● | ● | ○ | ● | ○ |
| Rubber Nozzle (Part# 5067) | ● | ○ | ○ | ● | ○ |
| Tool Adapter (Part# 300200535) | ○ | ○ | ● | ○ | ○ |
| Filter Cartridge (washable) (Part# 302000461/302000751) | ● | ● | ● | ● | ● |
| Filter Bag - 5 Pack (Part# 302001484) | ● | ● | ● | ● | ● |
| Anti-Static Hose (Part# 30657) | ○ | ○ | ● | ○ | ○ |
| Inlet and Y Connector (Part# 15953/15331) | ○ | ○ | ● | ○ | ○ |

- Standard
- Optional

DISTRIBUTED BY

Franklin
20 Cedar Street
Franklin, PA 16323

Cleveland
15151-2 York Road
North Royalton, OH 44133



Office: 814.432.4228
Fax: 814.432.4658
Toll Free: 800.533.9870

Office: 440.237.9277
Fax: 440.237.8079
Toll Free: 888.488.9288

www.Fultz-Enterprises.com

This product information was reproduced and edited by Fultz Enterprises with permission of Alto Cleaning Systems, Inc.